



Translation of Database of Registered Variety
(published by the MAFF)

Database of Registered Variety
(Flowering plants)
'Sunbelchipi' (Petunia)

No Registered
Photos

Registration No.: 7231
Date of Registration: 99/06/14
Common Name: Petunia
Denomination of Variety: Sunbelribu
Term of Validity: 20 years
Name of Owner: Suntory Ltd.
Address of Owner: 1-40, Dojimahama
2-chome, Kita-ku,
Osaka

Name of Breeder: Yasuyuki Murakami

Summary of Characteristics of the registered Variety

This variety originated from crossing of an unnamed cross seedling between wild types native to Brazil, and another unnamed seedling native to Brazil. This variety has considerably small sized, single colored flowers having a vivid purple color and is suitable for flower potting and bedding. The growth habit is medium type, the spreading area of the plant is small and the plant height is considerably short. The stem length is considerably short, the stem diameter is thin, the anthocyanin pigmentation is present, pubescence is sparse, the number of the primary branching and that of the secondary branching are few and the internode length is considerably short. The leaf shape is lanceolate, the leaf-attaching angle to stem is upward, the leaf length is considerably short and the leaf width are considerably narrow, the petiole is absent, the leaf color of the upper surface is dark green, no variegated leaf is present, the

leaf thickness is thin and pubescence is sparse. The single typed, considerably small sized, single-colored flower opens horizontally, the shape of the corolla tube is thin, and flower has a vivid purple (J.H.S. 8607) color, the bottom color of the inside corolla throat is yellow (J.H.S. 2513), and the outside color of the corolla tube is moderate purplish red (J.H.S. 9715). The color fading of the petal is weak, the apex shape of the petal is obtuse, the incision thereof is shallow, the undulation grade of the petal margin is weak, the shape of the calyx is narrow, a pistil and stamens are present, the shape of the pistil is thin, that of the stamen is small and the pistil is shorter than stamens, the number of stamens is medium, the peduncle length is considerably short and the diameter thereof is considerably thin. The present variety is distinguishable from 'Kakegawa S1' in that the growth habit is medium type, the flower opens horizontally, the bottom color of the inside corolla throat is yellow (J.H.S. 2513) and so forth.

Summary of the breeding history of the registered variety

This variety was selected from seedlings obtained by crossing of an unnamed cross seedling between wild types native to Brazil and another unnamed seedling native to Brazil at Hakushu-cho, Kitakoma-gun, Yamanashi in 1991. Afterward the examination of the characteristics was continued while propagating and the breeding was completed in 1994 by confirming that the characteristics were stable.



品種登録データベース(草花類)

■ サンベルリブ(ペチュニア)

登録写真はありません

| | |
|-----------|-------------------------|
| 登録番号 | 第7231号 |
| 登録年月日 | 99/06/14 |
| 農林水産植物の種類 | ペチュニア |
| 登録品種の名称 | サンベルリブ |
| 品種登録の有効期限 | 20年 |
| 品種登録者の名称 | サントリー株式会社 |
| 品種登録者の住所 | 大阪府大阪市北区堂島浜2丁目 1番40号 |

登録品種の育成をした者の氏名

村上保之

登録品種の植物体の特性の概要

この品種は、ブラジル原産野生種間の交雑無名実生とブラジル原産野生種の無名実生を交配して育成されたものであり、花は鮮紫の単色で、かなり小輪の鉢物及び花壇向きの品種である。草型は中間型、株張り性は小、草丈はかなり低である。茎長はかなり低、太さは細、色は有、毛の多少、第一次分枝数及び第二次分枝数は少、節間長はかなり短である。葉形は披針形、着葉角度は立ち葉、葉長はかなり短、葉幅はかなり狭、葉柄の有無は無、葉の上面の色は濃緑、ふ入り葉は無、葉の厚さは薄、毛の多少は少である。花の向きは横向き、花形は一重、花筒部の形は細、花径はかなり小輪、複色の有無は無、単色花の色は鮮紫(JHS カラーチャート8607)、花卉のたい色の程度は弱、花喉部内面底部の色は黄(同2513)、花筒部外面の色は穂紫赤(同9715)、花卉先端部の形は鈍、切れ込みの程度は浅い、波打ちの程度は弱、がくの形状は狭、雌ずいの形は細、雄ずいの形は小、雌雄ずいの位置は凹、雌雄ずいの有無は有、雄ずいの数は中、花柄の長さはかなり短、太さはかなり細である。「掛川S1」と比較して、草型が中間型であること、花の向きが横向きであること、花喉部内面底部の色が黄であること等で区別性が認められる。

登録品種の育成の経過の概要

この品種は、平成3年に出願者の農場(山梨県北巨摩郡白洲町)においてブラジル原産野生種間の交雑無名実生とブラジル原産野生種の無名実生を交配し、その実生の中から選抜、以後、増殖を行いながら特性の調査を継続し、6年にその特性が安定していることを確認して育成を完了したものである。

▶ 品種登録者の名称及び住所